

**DECLARATION OF PERFORMANCE (acc. EU 305/2011, Annex III)  
No 06-0007-01**

- 1. Unique identification code of the product-type:** STEICOmultiphila 5
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR :** see product label
- 3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:** Vapour barrier sheet for roof, well and ceiling constructions
- 4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):** STEICO SE, Otto-Lilienthal-Ring 30, D-85622 Feldkirchen, email: [info@steico.com](mailto:info@steico.com)
- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):** not relevant
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:** AVCP 3
- 7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**  
CENTRUM STAVEBNIHO INZENYRSTVI a.s., Prazská 16, CZ-Hostivar 10221 Praha 10, notified certification body No. 1390


**8. Declared performance**

Table 1

Essential characteristics	Desired value	Tolerance		Harmonised technical specification
		min.	max.	
Length [m]	50			EN 13984:2013
Width [m]	1,5/ 3,0	-0,5%	+1,0%	
Fire behaviour	E			
Area weight [g/m <sup>2</sup> ]	130	-10	+10	
Water vapor transmission [m]	5	-2	+5	
Durability of the water vapor transmission resistance to artificial aging	passed			
Tensile force longitudinal/transverse [N/50mm]	220 / 190			
Elongation tensile force longitudinal/transverse [%]	10 / 5			
Tear resistance longitudinal/transverse [N]	210 / 220			
Temperature resistance [°C]	-40 to +80			
Airtightness	yes			

**9.** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

Signed for and on behalf of the manufacturer by:

Dr. Michael Makas Head of R&D/QM (name and function)	Feldkirchen, 15/12/2015 (place and date of issue)	b.o. (signature) 
--	--	---

Date: 27/06/2013	Revised: 15/12/2015
------------------	---------------------