


STEICO*secure* Putzabschlussprofil



- Plastic stop profile with 6 mm plaster edge and integrated glass fibre mesh for the STEICO*secure* ETICS.
- Clean plaster finish thanks to integrated stop bead edge

Application area



- The STEICO*secure* plaster end profile can be used in ETICS at corners, edges or also for separation.

Technical data

Colour	White
Material	Plastic
Fabric material	Glass fibre mesh

Forms of delivery

Delivery in handy boxes

Colour shade	Length [mm]	Plaster edge [mm]	Number/pack. [pcs.]	Metres/pack. [m]
white	2400	6	25	60

Notes

Storage

- Dry, protect from UV radiation and moisture

Disposal

- dispose with normal construction waste, observe applicable legal guidelines

Cutting

- With overlay shears or other tools suitable for cutting plastic

Occupational health and safety

- Observe the safety data sheet
- Wear safety goggles and work gloves when cutting to size

STEICO *secure* Putzabschlussprofil

Installation



- This document is based on the German technical data sheet and is intended for general information purposes in an international context. National regulations and building codes must be additionally observed.

Substrate

- Stable, even, dry substrate - free of substances that could impair adhesion (e.g. grease, dirt)
- The insulation boards must be laid evenly, to create a flat surface

Setting the profile

- Cut plaster end profile to finished size
- Position the parapet profile flush with the edge and aligned in the reinforcement mortar provided and, if necessary, fix in the insulation material with plastic nails or push-fit connectors.
- Insert the fibreglass mesh into the reinforcing plaster and fill in
- Fill in the reinforcement layer overlapping up to the plaster edge
- Apply the finishing render and remove at the profile edge
- Seal any hollow areas, such as the connection between the window sill, connection profile and reveal, with sealing tape



Certificates and quality management



STEICO *secure* Putzabschlussprofil

☰ Caption

other abbreviations

pal. Pallet

T&G Tongue and Groove

pac. Packaging

approx. Approximately

pcs. pieces